



QUEENS PARK MONTESSORI DAY NURSERY

155 Richmond Park Road
Bournemouth
Dorset
BH8 8UA

Telephone: (01202) 523293

Proprietor: Mrs Alison Toms

Ofsted Reg: EY242933

A Unique Child

1.3 Keeping Safe

1.4 Health and Well-being

STAY SAFE
BE HEALTHY

EYFS: 3.55, 3.56, 3.59, 3.61, 3.65, 3.80

SAFETY CHECKS POLICY

At Queens Park Montessori Day Nursery [we take reasonable steps](#) to ensure the safety of children, staff and others on the premises including carrying out safety checks on a regular basis.

These include daily checks of the premises, indoors and outdoors, and all equipment and resources before the children access any of the areas. [Any issues arisen are promptly reported to either the health and safety representative or the manager directly. They will record the issue in the record book and decide on the solution.](#)

This policy should be read in conjunction with the fire safety, risk assessments, visits and outings and the equipment and resources policies.

[All staff are trained in health and safety to raise awareness. Staff know how to recognise potential hazards including near misses in the nursery environment and monitor safety at all times.](#)

Risk assessments

Risk assessments document the hazard, who could be harmed, existing controls, the seriousness of the risk/injury, any further action needed to control the risk, who is responsible for what action, when/how often will the action be undertaken, and how will this be monitored and checked and by whom.

The nursery carries out written risk assessments at least annually. These are regularly reviewed and cover potential risks to children, staff and visitors at the nursery. When circumstances change in the nursery, e.g. a significant piece of equipment is introduced;

we review our current risk assessment or conduct a new risk assessment dependent on the nature of this change.

All outings away from the nursery are individually risk assessed. For more details refer to the visits and outings policy.

Electrical equipment

- All electrical cables are kept out of the reach of children wherever possible and shielded by furniture where they need to be at floor level
- We have all electrical items portable appliance tested (PAT) (as per HSE guidance) annually
- Electrical sockets are all risk assessed and appropriate safety measures are in place to ensure the safety of the children.

Mains information

Locations of:

- Water stop tap: **In the staff toilet area**
- Gas point: **Outside the kitchen door**
- Fuse box: **Sleep room in sliding cupboard**
- Main electricity box: **Sleep room in sliding cupboard**

Dangerous substances

All dangerous substances including chemicals are kept in areas out of children's reach. All substances are kept in their original containers with their original labels attached. Safety Data Sheets (Control of Substances Hazardous to Health (COSHH)) and risk assessments are kept for all substances and the appropriate personal protection taken and used e.g. gloves, apron and goggles.

Hot drinks and food

Hot drinks must only be consumed away from and kept out of reach of the children. No canned drinks, sweets or crisps are to be kept or consumed in the nursery rooms or outside.

Transport and outings

The nursery has a comprehensive documented policy relating to outings, which incorporates all aspects of health and safety procedures including the arrangements for transporting and the supervision of children when away from the nursery.

Room temperatures

- Staff should be aware of room temperatures in the nursery and should ensure that they are suitable at all times and recorded on the appropriate sheet. There is a thermometer in each room to ensure this is monitored
- Staff must always be aware of the dangers of babies and young children being too warm or too cold
- Temperatures should not fall below 18°C in the baby rooms and 16°C in all other areas
- Where freestanding fans are being used to cool rooms, great care must be taken with regard to their positioning.

Water supplies

- A fresh drinking water supply is available and accessible to all children, staff and visitors

- All hot water taps accessible to children are thermostatically controlled to ensure that the temperature of the water does not exceed 40°C.

Gas appliances

- All gas appliances are checked annually by a registered Gas Safety Register engineer
- Carbon monoxide detectors are used.

This policy was adopted on:

Signed on behalf of the nursery:

Date for review: